

# AB Tip İnceleme Sertifikası EU Type-Examination Certificate

**Belge No / Certificate No** : 27-20-02  
**Belgelendirme Tarihi - Bir Sonraki Belge Tarihi /  
Certification Date / Certificate Validity Date** : 11.08.2020-11.08.2025  
**Belge Geçerlilik Tarihi / Document Validity Period** : 5 yıl / 5 years  
**Firma Unvanı ve Adresi /  
Company Name and Address** : DENİMCO GARMENT TEKSTİL SAN. VE TİC. A.Ş.  
Çobançeşme Mah. Nish Residence D Blok No:44 İç  
Kapı No:11 Bahçelievler/ İSTANBUL  
**Ürün Adı /Modeller / Product Name / Models** : COR-PROTECT DG-2  
**Direktifi / Directive** : EU 2016/425 REGULATION  
**Modülü/Kategori / Module / Category** : B MODÜLÜ/ KATEGORİ III  
MODULE B/ CATEGORY III  
**Test Rapor No/ları / Test Report No** : MNA M-2020-00128  
**Ürün Tipi / Product Type:**  
- EN ISO 13688 Koruyucu giyecekler - Genel özellikler / Protective clothing - General requirements  
- EN 13034+ A1 Sıvı Kimyasallara Karşı Koruyucu Giysi (Tip 6-B) / Protective Clothing Against Liquid  
Chemicals (Type 6-B)  
- EN ISO 13982-1 Katı Parçacıklara Karşı Koruyucu Giysi (Tip 5-B)/ Protective Clothing For Use Against  
Solid Particulates (Type 5-B)  
- EN 14126 Koruyucu Giyecekler - Patojen Organizmalara Karşı / Protective Clothing - Performance  
Requirements And Tests Methods For Protective Clothing Against Infective Agents

**Ürünün Malzeme Bilgisi / Product Material Information:** COR-PROTECT DG-2 model ürünleri kaplamalı kumaş kullanılarak imal edilmiştir./ COR-PROTECT DG-2 model products are manufactured using coated fabric.

**Volkan AKIN**  
11.08.2020  
Karar Verici / Approver



**Okan AKEL**  
11.08.2020  
Şirket Müdürü / General manager



**ATTACHMENTS (27-20-02)**

To certify the PPE product at Category III level, C2 or D module is accompanied by applying one of the conformity assessment methods along with the EU Type Examination (Module B).

**Model : COR-PROTECT DG-2**

PPE SPECIFICATION	PERFORMANCE LEVELS
Classification	Type 5-B, Type 6-B
Abrasion Resistance	1
Tear Resistance (Trapezoidal)	1
Tensile Strength	1
Puncture Resistance	1
Liquid Repellency	NaOH: 3, H <sub>2</sub> SO <sub>4</sub> : 3, o-Xylene: 2, Butan-1-ol: 2
Resistance To Penetration By Liquid	NaOH: 2, H <sub>2</sub> SO <sub>4</sub> : 3, o-Xylene: 0, Butan-1-ol: 0
Flex Cracking Resistance	1
Seam Strength	2
Wet Bacterial Penetration	3
Dry Microbial Penetration	1
Phi-X174 Bacteriophage	3

PPE produced as a single unit to fit an individual user, all the necessary instructions for manufacturing such PPE on the basis of the approved basic model:

MARKING		
<b>MANUFACTURER:</b> PLATİN MODA TASARIM TEKSTİL SAN. VE DIŞ TİC. LTD. ŞTİ.		
<b>PPE TYPE :</b>		
<ul style="list-style-type: none"><li>- EN ISO 13688 Protective clothing - General requirements</li><li>- EN 13034+ A1 Protective Clothing Against Liquid Chemicals (Type 6-B)</li><li>- EN ISO 13982-1 Protective Clothing For Use Against Solid Particulates (Type 5-B)</li><li>- EN 14126 Protective clothing - Performance requirements and tests methods for protective clothing against infective agents</li></ul>		
<b>MODEL:</b> COR-PROTECT DG-2 <b>PRODUCT SIZE:</b> M, L, XL		
<b>SIZE</b>	<b>HEIGHT (cm)</b>	<b>CHEST (cm)</b>
M	164-175	84-100
L	175-188	100-116
XL	188-200	116-132

MNA Laboratuvarları San. Tic.Ltd .Şti  
Adres: Küçükbakkalköy Mahallesi Yenidoğan Cad.No:21 Ataşehir/ İstanbul  
Tel: 0216 574 07 08 Faks: 0216 575 13 31 [www.mnalab.com](http://www.mnalab.com)


**PICTOGRAM AND PERFORMANCE LEVELS:**

EN ISO 13688

EN ISO 13982-1 (Type 5-B)

EN 13034+ A1(Type 6-B)

EN 14126



NB 2841

“Flammable material. Keep away from fire.”

Type 5-B, Type 6-B

“Do not re-use”

MNA LABORATORIES SAN. TIC. LTD. ŞTİ declares that the above-mentioned product meets the requirements of the directive according to the EU Directive 2016/425, the safety of the product is covered by the conditions and use specified in this certificate and in the technical file.

**PRODUCT PICTURES**

COR-PROTECT DG-2

**DOCUMENTS IN THE TECHNICAL**

- Basic Health Safety Requirements
- Risk Assessment
- Test Reports
- Technical Report